



## **Analytical Balance TRAB-610**

[www.axylab.com](http://www.axylab.com) | [info@axylab.com](mailto:info@axylab.com)

## Overview

Analytical Balance TRAB-610 is a fully automatic, internal calibration device with a completely transparent glass windshield. It has a huge backlit LCD, which improves the operator's visibility. It can weigh up to 160 g and has a minimum reading of 0.0001 g. It is a faster and much more reliable device with a double CAM experiment.

## Features:

- It has humanized design, novel structure, and 5 fully transparent glass windshield surfaces
- With the piece, unit conversion, full-range peel, zero tracking, and other features such as multi-functionality, simple and dependable operation
- Includes an RS232C output interface that can be directly connected to a computer, printer, another device
- It employs a double CAM experiment with a fully automatic internal calibration function, which increases its stability and speed
- The Balance includes applications such as preheating, calibration, screen saver, and others
- The large backlit LCD screen improves the operator's vision by making it more soft and clear

## Specifications :

<b>Linear Error</b>	±0.0005 g
<b>Minimum Reading</b>	0.0001 g
<b>Output Interface</b>	Rs232C
<b>Pan Size</b>	Ø80 mm
<b>Power</b>	220V+22V/-33V, 50Hz
<b>Repeatability Error</b>	0.0002 g
<b>Scale Interval</b>	0.1 mg
<b>Size</b>	330×215×350 mm
<b>Weighing Range</b>	0 to 160 g
<b>Weight</b>	7.5 Kg



Northeast McClain Road Bentonville AR 72712, USA

Email: [info@axylab.com](mailto:info@axylab.com) | Website: [www.axylab.com](http://www.axylab.com)