



## **Fume Hood TRFH-601**

www.axylab.com | info@axylab.com

## **Overview**

Fume Hood TRFH-601is a ventilation cabinet with a solvent disinfectant storage tank made from steel. It is secure and dependable. Internal air expellees at a rate of 0.5 m/s, resulting in a high ventilation effectiveness and a ventilation capacity of 450 to 1600 m3/h. It is having with a 1.5 M fume hood. It has a liquid crystal controller for the display. The upper section is fitted with an exhaust fan system and a moving glass door.

## **Features:**

- Water, electricity, gas, and air conditioning are all interrogatively into the cabinet
- Inside, there is a multifunctional socket
- A stainless steel water tank with liquid antiseptic is installation on the bottom
- It is secure and dependable
- The ventilation capacity is 450 to 1600 m3/h, and the air circulation effectiveness is high
- It has a sliding glass door that can be open and closed

## **Specifications:**

Dimension Of Working Area (W1×D1×H1)	1330×700×600mm
Discharging Speed	within 0.3 m to 0.6m/s adjustable
Inlet Pressure	>0.5Pa
Overall Dimension W×D×H	1500×760×1950mm
Power	800W
Power Supply	AC, 220 V/50Hz
Weight	180 Kg



Northeast McClain Road Bentonville AR 72712, USA Email: info@axylab.com | Website: www.axylab.com