



## **Heated Incubator TRHI-705**

[www.axylab.com](http://www.axylab.com) | [info@axylab.com](mailto:info@axylab.com)

## Overview

Heated Incubator TRHI-705 is a temperature control device with a Microcomputer intelligent digital display. It includes a Liner for the stainless steel inner tank. Designed with easy-to-clean inner semi-circular arc corners and adjustable shelves. It has a room temperature range of +5 to 65°C and a period of 0 to 999min. It is suitable for electric heating with an external heat source.

## Features:

- This microcontroller intelligent digital display thermal management device comprises timing, setting, and measured temperatures
- It also demonstrated precise and dependable temperature control
- Outside the door, a quick glance at a variety of transparent observation window types and box items and inner semi-circular arcs for easy-to-clean corners and adjustable shelves
- The temperature had no value or harm to the culture of the disadvantages of electric heating in the form of external heat
- An internal tank lining made from stainless steel

## Specifications :

<b>Dimension</b>	720×740×1010 mm
<b>Power</b>	600 W
<b>Temperature Fluctuation</b>	±0.5 ?
<b>Temperature Range</b>	Room temperature+5 to 65 ?
<b>Temperature Resolution</b>	0.1 ?
<b>Timer</b>	0 to 999 min
<b>Voltage</b>	110V 60Hz /220V 50 Hz
<b>Weight</b>	82 kg
<b>Working size</b>	600×600×750 mm



Northeast McClain Road Bentonville AR 72712, USA  
Email: [info@axylab.com](mailto:info@axylab.com) | Website: [www.axylab.com](http://www.axylab.com)